




ch8-3

ECON 3040 - Log models

Ryan T. Godwin

University of Manitoba



Logarithms

Another way to approximate the non-linear relationship between Y and X is by using logarithms.

- ▶ Logarithms can be used to approximate a percentage change.
- ▶ If the relationship between two variables can be expressed in terms of proportional or percentage changes, then it is a type of non-linear effect.
- ▶ To see this, consider a 1% increase in 100 (which is 1), and a 1% increase in 200 (which is 2). The same 1% increase can be generated by different changes in the variable (e.g. a change of 1 or of 2).

For example, consider an increase in hourly wage of \$1.

- ▶ That is not a big increase for someone making \$10 per hour (an increase of only 2%).
- ▶ This change in wage is unlikely to have much effect on the behaviour of the individual.
- ▶ However, imagine an individual whose hourly wage is only \$1 per hour. An increase of \$1 doubles the wage (100% increase).
- ▶ This is likely to have a big impact on behaviour.
- ▶ It is desirable to measure things like wage in terms of proportional or percentage changes (regardless of whether it is included in a model as the dependent variable or as a regressor).
- ▶ This can be accomplished by using the **log of the variable** in the regression model, instead of the variable itself.

Percentage change

Let's be explicit about what is meant by a percentage change. A percentage change in X is:

$$\frac{\Delta X}{X} \times 100 = \frac{X_2 - X_1}{X_1} \times 100$$

where X_1 is the starting value of X , and X_2 is the final value.

Logarithm approximation to percentage change

Logarithm approximation to percentage change

The approximation to percentage changes using logarithms is:

$$\log(X + \Delta X) - \log(X) \times 100 \approx \frac{\Delta X}{X} \times 100$$

or

$$\log(X_2 - X_1) \times 100 \approx \frac{X_2 - X_1}{X_1} \times 100$$

- So, when X changes, the change in $\log(X)$ is approximately equal to a percentage change in X .
- The approximation is more accurate the smaller the change in X .
- The approximation does not work well for changes above 10%.

Table: Percentage change, and approximate percentage change using the log function

Change in X	% change	Approx. % change	
X_1	X_2	$\frac{X_2 - X_1}{X_1} \times 100$	$(\log X_2 - \log X_1) \times 100$
1	2	100%	0.393%
1	1.1	10%	0.53%
1	1.01	1%	0.095%
5	6	20%	1.39%
11	12	9.09%	8.70%
11	11.1	0.91%	0.91%

Logs in the population model

The log function can be used in our population model, so that the β s have various *percentage changes* interpretations. There are three ways we can introduce the log function into our models. The three different possibilities arise from taking logs of the left-hand-side variable, one or more of the right-hand-side variables, or both.

Table: Three population models using the log function.

Population model	Population regression function
I. linear-log	$Y = \beta_0 + \beta_1 \log X + \epsilon$
II. log-linear	$\log Y = \beta_0 + \beta_1 X + \epsilon$
III. log-log	$\log Y = \beta_0 + \beta_1 \log X + \epsilon$

For each of the three different population models above, β_1 has a different percentage change interpretation. We don't derive the interpretations of β_1 , but instead list them for the three different cases in table 2:

- Linear log: a 1% change in X is associated with a $0.01\beta_1$ change in Y . $\text{Y} = \beta_0 + \beta_1 \log(x) + \epsilon$
- log-linear: a change in X of 1 is associated with a $100 \times \beta_1$ % change in Y . $\log(Y) = \beta_0 + \beta_1 X + \epsilon$
- log-log: a 1% change in X is associated with a β_1 % change in Y . β_1 can be interpreted as an elasticity.

$$\log(Y) = \beta_0 + \beta_1 \log(x) + \epsilon$$

A note on R^2

R^2 and R^2 measure the proportion of variation in the dependent variable (Y) that can be explained using the X variables.

- When we take the log of Y in the log linear or log log mode, the variance of Y changes.
- That is, $\text{Var}[\log Y] \neq \text{Var}[Y]$.
- We cannot use R^2 or R^2 to compare models with different dependent variables.
- That is, we should not use R^2 to decide between two models, where the dependent variable is Y in one, and $\log Y$ in the other.

- We cannot use R^2 or R^2 to compare models with different dependent variables.
- That is, we should not use R^2 to decide between two models, where the dependent variable is Y in one, and $\log Y$ in the other.

Log-linear model for the CPS data

It is common to use the log of $wage$ as the dependent variable, instead of just $wage$. This allows for the factors that determine differences in wages to be associated with approximate percentage changes in wage. In the following, we'll see an example of a log-linear model estimated using the CPS data. Start by loading the data:

```
1 lm.all.percentage <- lm()
2 library(lmtest)
3 data("CPS1985")
```

and estimate a log-linear model:

$$\log(wage) = \beta_0 + \beta_1 education + \beta_2 gender + \beta_3 age + \beta_4 experience + \epsilon$$

log-linear

```
1 summary(lm(log(wage) ~ education + gender + age + experience
2           , data = CPS1985))
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1.15537	0.65357	1.765	0.007
education	-0.27421	0.11471	1.661	0.119
genderfemale	-0.25736	0.05948	6.512	1.66e-10 ***
age	-0.07293	0.11868	-0.609	0.484
experience	0.09239	0.11373	0.812	0.417

*when educ ↑ by 1,
wages ↑ by 17.8% on average*

- The interpretation of the estimated coefficient on *education*, for example, is that a 1 year increase in *education* is associated with a 17.8% increase in *wage*.
- The interpretation of the coefficient on the dummy variable *genderfemale* is a bit more *tricky*.
 - It is estimated that women make $100 \times (\exp(-0.257) - 1) = -22.7\%$ less than men.
 - For simplicity, however, we can say that women make approximately 25.7% less than men, but you should know that this interpretation is actually wrong.
- The advantage of using $\log wage$ as the dependent variable is that it allows the estimated model to capture non-linear effects.
- The 25.7% decrease in wages for women means that the dollar difference in wages between women and men in high-paying jobs (such as *medicine*) is larger than the dollar difference in wages between women and men in lower-paying jobs.

Log-log model for CO₂ emissions

In this section, we use data on per capita CO₂ emissions, and GDP per capita (data is from 2007). We will suppose that CO₂ emissions is the *dependent* variable. Load the data, and create the plot:

```
1 co2 <- read.csv("http://rtgodwin.com/data/co2.csv")
2 # also: co2$gdp_per_capita, co2$co2,
3 #       y_lab = "CO2 emissions per capita",
4 #       x_lab = "GDP per capita")
```





Figure: Per capita CO₂ emissions and GDP.



Consider this (possibly wrong) population model:

$$\text{CO}_2 = \beta_0 + \beta_1 \text{GDP} + \epsilon \quad (1)$$

- ▶ As GDP gets larger, CO₂ emissions are all over the place.
- ▶ The problem with model 1 is that GDP has the same effect on CO₂ everywhere (for all levels of GDP).
- ▶ Since energy consumption (which produces CO₂ emissions) is a relatively inelastic good, it may be reasonable to think that an increase in GDP per capita of say \$1000 has a much bigger impact on CO₂ emissions when GDP per capita is low.
- ▶ That is, there may be a non-linear relationship.


If we take the log of CO₂ and GDP per capita, then we are saying that percentage changes in per-capita GDP lead to percentage changes in CO₂:

$$\log(\text{CO}_2) = \beta_0 + \beta_1 \log(\text{GDP}) + \epsilon \quad (2)$$

Plot the data:

```
1 plot(log(ces28gdp.per.cap), log(ces28co2),
2     ylab = "log(CO2 emissions per capita)", xlab = "log(GDP
3     per capita")
```

Figure: Log per capita CO₂ emissions and log GDP



Now, let's estimate model 2:

```

> co2mod <- lm(log(co2) ~ log(gdp.per.cap), data = co2)
> summary(co2mod)

Call:
lm(formula = log(co2) ~ log(gdp.per.cap))

Coefficients:
            Estimate Std. Error t value Pr(>|t|)
(Intercept) -0.36465   0.34636 -1.057 0.2944
log(gdp.per.cap) 1.20211  0.04231 28.39 <2e-16 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.0842 on 132 degrees of freedom
Multiple R-squared: 0.8939 Adjusted R-squared: 0.8952
F-statistic: 780.1 on 1 and 132 DF, p-value: < 2.2e-16

```

The interpretation of the results is that for every 1% increase in GDP per capita, it is estimated that CO₂ emissions increase by 1.2%.